

Length // ► Feed direction

Width

Perforated sheet


Open Area: 44.44 %

CD10 M15



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.00	500825	153222			4.4	
	1.50	^M 501690	157632	153396	153579	6.5	
	2.00	502451	153223	153397	153580	8.7	
	2.99	502528	153224	153398	153581	13.0	
Pre-galvanised							
DX51D	St 02 Z	1.00	500727	153754		4.4	
		1.50	501591	157050	157051	6.5	
		2.00	502365	157053	157054	8.7	
		3.00	502767	153755		13.1	
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.50	500931	154587	154588	154589	2.3
		2.00	501789	154590	154591	154592	3.0
		3.00	502585	154593	154594	154595	4.5
// PVC coated on one side		1.50	501032	154584	154585		2.3
		2.00	501886	157633	154586		3.0
EN AW-5005 H24 EQ // PVC coated on one side	AlMg 1 hh EQ	1.50	501116	154600			2.3
		3.00	502648		154608		4.5
EN AW-5005 H24 EQ // PVC coated on both sides	AlMg 1 hh EQ	2.00	501953	156491	156540	156589	3.0
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/C0, PVC 1 side		2.00	502021	154609	154610	154611	3.0
EN AW-5754 H22	AlMg 3 hh	1.00	500340	154596	154597	154598	1.5
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.00	500491	152210	152356		4.4
		1.50	501331	152211	152357	152497	6.5
		2.00	502184	152212	152358	152498	8.7
// PVC coated on one side		1.00			158377		4.4
X5CrNi18-10 2B // polished 1 side grain 240, PVC 1 side		1.00	500575	152658			4.4
		1.50	501447	152659	152758	152850	6.5
		2.00	502256	152660	152759		8.7
X2CrNiMo17-12-2 2B	1.4404 IIIC	1.50	501246	154571		154573	6.5
X6CrNiMoTi17-12 2B	1.4571 IIIC	1.00	500639	154582	154583		4.4

CD10 M15



Square holes
diagonal pitch (CDM)
w = 10 mm
p = 15 mm
c = 5 mm
Open area: 44.44 %