

Length // ► Feed direction

Width

Perforated sheet


Open Area: 30.77 %

LC8x40 U20x52



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²
Steel						
	1.00	500811	153249			5.4
	1.50	501675	153250	153424	153608	8.2
	2.00	502441	153251	153425	153609	10.9
	2.99	502526	153252	153426	153610	16.2
Pre-galvanised						
DX51D	St 02 Z	1.00	500713	153770		5.4
		1.50	501575	156973	156974	8.2
		2.00	502353	156976	156977	10.9
		3.00	502765	156421		16.3
Aluminium						
EN AW-1050A H24	Al 99,5% hh	1.50	500915	150143	150335	2.8
		2.00	501774	150144	150336	3.7
		3.00	502581	156422	156423	5.6
// PVC coated on one side		1.50	501017	150640	150754	2.8
		2.00	501871	157646	150755	3.7
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501102	150940		2.8
		3.00	502643		151264	5.6
EN AW-5005 H24 EQ // PVC coated on both sides	AlMg 1 hh EQ	2.00	501950	156501	156550	3.7
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/C0, PVC 1 side		2.00	502006	151361	151420	3.7
EN AW-5754 H22	AlMg 3 hh	1.00	500327	151632	151763	1.9
Stainless steel						
X5CrNi18-10 2B	1.4301 IIIC	1.00	500481	152246	152391	5.4
		1.50	501319	152247	152392	8.2
		2.00	502177	152248	152393	10.9
X5CrNi18-10 2B // polished 1 side grain 240, PVC 1 side		1.00	500568	152681		5.4
		1.50	^M 501436	157645	152778	8.2
		2.00	502250	152682	152779	10.9
X2CrNiMo17-12-2 2B	1.4404 IIIC	1.00	500413	151977		5.4
		1.50	501234	151978	152096	8.2
X6CrNiMoTi17-12 2B	1.4571 IIIC	1.00	500629	153014	153101	5.4

LC8x40 U20x52



Slotted holes square pitch
 $w = 8 \text{ mm}$. $l = 40 \text{ mm}$
 $c_1 = 12 \text{ mm}$. $c_2 = 12 \text{ mm}$
 $p_1 = 20 \text{ mm}$. $p_2 = 52 \text{ mm}$
 Open area: 30.77 %