


LR10x50 U22x62



Slotted holes square pitch  
w = 10 mm. l = 50 mm  
c<sub>1</sub> = 12 mm. c<sub>2</sub> = 12 mm  
p<sub>1</sub> = 22 mm. p<sub>2</sub> = 62 mm  
Open area: 35.08 %

## Perforated sheet

Open Area: 35.08 %

LR10x50 U22x62



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m <sup>2</sup>
<b>Steel</b>						
	1.00	500812	153243			5.1
	1.50	501676	153244	153419	153603	7.6
	2.00	502442	153245	153420	153604	10.2
<b>Pre-galvanised</b>						
DX51D St 02 Z	1.00	500714	153768			5.1
	1.50	501576	156979	156980	156981	7.6
	2.00	502354	156982	156983	156984	10.2
<b>Aluminium</b>						
EN AW-1050A H24 Al 99,5% hh	1.50	500916	150135	150327	150513	2.6
	2.00	501775	150136	150328	150514	3.5
	3.00	502582	150137	150329	150515	5.3
// PVC coated on one side	1.50	501018	150636	150748		2.6
	2.00	501872	157640	150749		3.5
EN AW-5005 H24 EQ// PVC coated on one side AlMg 1 hh EQ	1.50	501103	150932			2.6
	3.00	502644			151256	5.3
EN AW-5005 H24 EQ // PVC coated on both sides AlMg 1 hh EQ	2.00	501951	156502	156551	156600	3.5
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/C0, PVC 1 side	2.00	502007	151358	151417	151476	3.5
EN AW-5754 H22 AlMg 3 hh	1.00	500328	151628	151761	151846	1.8
<b>Stainless steel</b>						
X5CrNi18-10 2B 1.4301 IIIC	1.00	500482	152238	152383		5.1
	1.50	501320	152239	152384	152513	7.6
	2.00	502178	152240	152385	152514	10.2
X5CrNi18-10 2B // polished 1 side grain 240, PVC 1 side	1.00	500569	156420			5.1
	1.50	501437	157639	152773	152863	7.6
	2.00	502251	152678	152774		10.2
X2CrNiMo17-12-2 2B 1.4404 IIIC	1.00	500414	151972			5.1
	1.50	501235	151973		152093	7.6
X6CrNiMoTi17-12 2B 1.4571 IIIC	1.00	500630	153012	153099		5.1