

Length // ► Feed direction

Width

Perforated sheet


Open Area: 27.99 %

R10 T18



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.00	500876	153164			5.7	
	1.50	501742	153165	153329	153507	8.5	
	2.00	502501	153166	153330	153508	11.3	
	2.99	502563	153167	153331	153509	16.9	
	8.00		100132			45.2	
Pre-galvanised							
DX51D	St 02 Z	1.00	500778	153688		5.7	
		1.50		158528		8.5	
		2.00			158531	11.3	
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.50	500984	150045	150233	150418	2.9
		2.00	501840	150046	150234	150419	3.9
		3.00	502624	150047	150235	150420	5.8
// PVC coated on one side		1.50	501076	150591	150697		2.9
		2.00	501931	150592	150698		3.9
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501155	150850			2.9
		3.00	502683			151174	5.8
EN AW-5005 H24 EQ // PVC coated on both sides	AlMg 1 hh EQ	2.00	501987	156472	156521	156570	3.9
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/C0, PVC 1 side		2.00	502061	151328	151387	151446	3.9
		3.00			158272		5.8
EN AW-5754 H22	AlMg 3 hh	1.00	500382	151544	151695	151801	1.9
		2.00				158277	3.9
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.00	500540	152132	152299		5.7
		1.50	501379	152133	152300	152439	8.5
		2.00	502229	152134	152301	152440	11.3
		3.00	502717	152135			17.0
X5CrNi18-10 2B // polished 1 side grain 240, PVC 1 side		1.00	500612	152608			5.7
		1.50	501489	152609	152721	152813	8.5
		2.00	502293	152610	152722		11.3
X2CrNiMo17-12-2 2B	1.4404 IIIC	1.00	500456	151900			5.7
		1.50	501289	151901		152062	8.5
X6CrNiMoTi17-12 2B	1.4571 IIIC	1.00	500685	152926	153051		5.7
		3.00	502752	152927			17.0

R10 T18



Round holes 60 degree staggered pitch (RT)
 w = 10 mm
 p = 18 mm
 Open area: 27.99 %