

Length // ► Feed direction

Width

## Perforated sheet


Open Area: 40.31 %

# R6 T9



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m <sup>2</sup>
<b>Steel</b>						
	0.75			158216		3.5
	1.00	500896	100113	153309	153486	4.7
	1.50	501757	100114	101384	100509	7.0
	2.00	502515	100115	100321	101586	9.4
	2.99	502573	100116	101583	153488	14.0
	5.00		101836			23.4
<b>Pre-galvanised</b>						
DX51D	St 02 Z	0.75	158495			3.5
		1.00	500798	153673	153801	4.7
		1.50	501655	101397	153802	7.0
		2.00	502427	153674	153803	9.4
		3.00	502810	153675	158551	14.1
<b>Aluminium</b>						
EN AW-1050A H24	Al 99,5% hh	1.00	M 500315	100198	150211	1.6
		1.50	500998	100199	150212	2.4
		2.00	501854	100200	101444	3.2
		3.00	502634	150025	150213	4.8
		4.00	158352		158348	6.4
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50			158294	2.4
		2.00	158313			3.2
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/C0, PVC 1 side		2.00	503266	158263	158265	3.2
EN AW-5754 H22	AlMg 3 hh	1.00	500402	151517	151671	1.6
		1.50	501221	151518	151672	2.4
		2.00	502123	151519	151673	3.2
<b>Stainless steel</b>						
X5CrNi18-10 2B	1.4301 IIIC	1.00	500556	152118	152281	4.7
		1.50	501393	100022	152282	7.0
		2.00	502241	101643	101648	9.4
		3.00	502724	101644		14.1
// PVC coated on one side		1.00			158383	4.7
X2CrNiMo17-12-2 2B	1.4404 IIIC	1.00	500469	151875		4.7
		1.50	501302	151876	152054	7.0
		2.00	502169	151877		9.4
X2CrNi12 2B	1.4003	2.00			158364	9.4
X6CrNiMoTi17-12 2B	1.4571 IIIC	1.00	500700	152902	153034	4.7
		1.50	501558	152903	153035	7.0
		2.00		158465		9.4
		3.00	502759	152905		14.1

R6 T9



Round holes 60 degree  
staggered pitch (RT)  
w = 6 mm  
p = 9 mm  
Open area: 40.31 %