

Length // ► Feed direction

Width

Perforated sheet


Open Area: 19.63 %

R5 U10



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²
Steel						
	1.00	500867	153182	153349	153530	6.3
	1.50	501734	153183	153350	153531	9.5
	2.00	502493	153184	153351	153532	12.6
	2.99	502559	153185	153352	153533	18.9
Pre-galvanised						
DX51D	St 02 Z	0.70	101748			4.4
		1.00	500769	153706	153830	6.3
		1.50	501635	153707	153831	9.5
		2.00	502406	153708	153832	12.6
		3.00	502798	153709		18.9
Aluminium						
EN AW-1050A H24	Al 99,5% hh	1.00	500289	150071	150259	2.2
		1.50	500976	150072	150260	3.3
		2.00	501832	150073	150261	4.3
// PVC coated on one side		1.50	501070	150604	150710	3.3
		2.00	501925	150605	150711	4.3
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501149	150872		3.3
EN AW-5005 H24 EQ						
// pre-anodised 2 sides E6/C0, PVC 1 side		1.50		158251		3.3
		2.00	502055	151336	151395	4.3
Stainless steel						
X5CrNi18-10 2B	1.4301 IIIC	1.00	500531	152159	152319	6.3
		1.50	501371	152160	152320	9.5
		2.00	502221	152161	152321	12.6
X5CrNi18-10 2B // polished						
1 side grain 240, PVC 1 side		1.00	500606	152624		6.3
		1.50	501483	152625	152735	9.5
		2.00	502287	152626		12.6
X2CrNiMo17-12-2 2B	1.4404 IIIC	1.00	500448	151918		6.3
		1.50	501281	151919	152070	9.5

R5 U10



Round holes
Square pitch (RU)
w = 5 mm
p = 10 mm
Open area: 19.63 %